EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
\$238	6	fuhwei near lwo.ìn.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
\$239	0	fuh near wei near Iwo.in.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
S240	94160	(ibm or "international business machines").as.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
S241	103	\$240 and (java and (api or (application adj program\$4 adj interface))).clm.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
\$242	6	[("20020144018" "20030028549" "20030097650" "20030110313" "20030126310" "6591417"). PN.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
\$243	1618	717/120-123.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S244	2219	719/328-329.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$245	86	(S243 or S244) and (compar \$4 with (api or (application adj program\$4 adj interface)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$246	55	\$245 and (@pd< "20040220" or @ad< "20040220" or @prad< "20040220" or @prad< "20040220" or @rlad< "20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$247	142	match\$4 near3 (class adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S248	63	S247 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

S249	40	S248 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$250	2661	compar\$4 with (api or (application adj program\$4 adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
3251	40	\$250 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S252	58	("20020040936" "5022028" "5313616" "5409685" "5446901" "5490249" "5565316" "5649021" "56565316" "5615317" "56562385" "5615317" "5652385" "5748964" "5761510" "5884316" "5925140" "5898731" "6002677" "6002672" "6002672" "60026732" "60026732" "60026732" "60026732" "60026732" "60026732" "60026732" "60026732" "62026732" "62026732" "62026732" "62026732" "62026732" "62030314" "6230314" "6230314" "6230314" "6230314" "6230314" "6230314" "6230314" "6230314" "6230314" "643568" "6437666" "6477666" "6477766" "6477766" "6477766" "6477766" "6477766" "6477766" "6477762" "6539539" "6649390" "6649899" "6639899" "6639899" "6639899" "6649390" "6649899" "6649999" "6649999" "6649999" "6649999" "6649999" "6649999"	US-PGPUB; USPAT; USOOR	OA	ON	2009/12/17 08:51
\$253	12	matching adj class adj names	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$254	114	compar\$4 with (class adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/12/17 08:51

\$255	8	\$254 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$256	7846	compar\$4 near3 class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$257	123	S256 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$258	85	S257 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$259	11	["5404525" "5535389" "5574898" "5890176" "6141795" "6175855" "6182286" "6209128" "6216140" "6289509" "6289510").FN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/17 08:51
\$260	415	((class adj name) near3 "same") or ((match\$4 or identical) near3 (class adj name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$261	41	\$260 and java and byte \$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$262	6	("20020133643" "5966702" "6430569" "6618769" "6618855" "6654793").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/17 08:51
\$263	47	(remov\$4 or delet\$4) near3 (class adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$264	476461	(remov\$4 or delet\$4) near3 (method or function or procedure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S265	2534	((remov\$4 or delet\$4) near3 (("same" or identical) near (method or function or procedure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

\$266	0	\$265 and java and byte \$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S267	0	S265 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$268	34	S265 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$269	7906	(remov\$4 or delet\$4) with (("same" or identical) adj (method or function or procedure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$270	3	S269 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$271	76	Seg and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$272	7	\$265 and "717".das.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$273	4	(remov\$4 or delet\$4) near3 ((match\$4 or "same" or identical) adj (class adj name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$274	7	(remov\$4 or delet\$4) with ((match\$4 or "same" or identical) adj (class adj name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

\$275	50	["20060249436" "6042312" "4299496" 15475797" "5912028" 16035243" "7035003" "20050122578" "20060174719" "5753092" "4399503" 43494031" "5749481" "6167817" "4591991" *4922978" "5674557" "5831857" "5849222" "5903663" "6438323" "6635280" "20030150712" "20050132853" "4787814" "4884474" "4891463" "5431332" "5679054" "6867328" "20030039332" "5199158" RE35481 "6237509" H002073 "5205197" "5544684" "5942699" "3670905" "4491475" "4538119" "44825500" "4803340" "4883480" "48077777" "4825500" *4867340" "4883480" "5249131" "5293322"),pn.	US-PGPUB; USPAT	OR	ON	2009/12/17
\$276	8138	(remov\$4 or delet\$4) with ((match\$4 or "same" or identical) adj (method or function or procedure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S277	92	S276 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$278	38	\$276 and "717".das.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S279	177	S276 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$280	1790	(report or summary) with api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S281	5	(report or summary) with (modif\$4 near3 api)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

\$282	1790	(report or summary) with api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$283	108	\$282 and "717".das.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$284	5	(US-20030110313-\$ or US- 20040153827-\$ or US- 20040230948-\$), did. or (US- 6591417-\$ or US-6308182-\$ or US-6896132-\$ or US- 6415435-\$ or US-6851111-\$ or US-6430564-\$), did.	US-PGPUB; USPAT	OR	ON	2009/12/17 08:51
\$285	1	\$284 and (class near path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$286	669	class adj path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$287	395	S286 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$288	176	S287 and jvm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$289	73	S288 and byte\$1code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$290	57	\$289 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
S291	1362	(\$243 or \$244) and @pd> = "20070402"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

S292	577	S291 and java	US-PGPUB; USPAT; USOCR; EFO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$293	347	S292 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$294	2	"6651186".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$295	1618	717/120-123.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$296	2219	719/328-329.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$297	997	(\$295 or \$296) and @pd> = "20080429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$298	433	S297 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$299	270	S298 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$300	704	(\$295 or \$296) and @pd> = "20081008"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$301	300	S300 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51
\$302	199	S301 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 08:51

S303	12	(US-20030110313-\$ or US- 20040153827-\$ or US- 20040239948-\$), did. or (US- 6591417-\$ or US-6308182-\$ or US-6986132-\$ or US- 6415435-\$ or US-6851111-\$ or US-6430564-\$ or US- 6385722-\$ or US-7231635-\$ or US-6651186-\$), did.	US-PGPUB; USPAT	OR	N	2009/12/17 09:06
S304	9	S303 and (("same" or identical or match\$4) near3 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 09:09
\$305	671	load\$4 with (("same" or identical or match\$4) near3 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 09:19
S306	157	S305 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 09:20
\$307	126	S306 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 09:20
\$308	80	\$307 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 09:20
\$309	1618	717/120-123.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:00
S310	2219	719/328-329.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:00
S311	420	(S309 or S310) and @pd> = "20090407"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:00
S312	164	S311 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:00

\$313	110	S312 and api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:00
S314	1622	717/148,162-167.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 12:36
\$315	315	S314 and api and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 12:36
S316	31	S315 and (load\$4 with (("same" or identical or match \$4) near3 class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 12:37
\$317	18	S316 and (@pd<"20040220" or @ad<"20040220" or @prad<"20040220" or @rlad<"20040220")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 12:37

12/18/2009 12:44:44 PM

C:\ Documents and Settings\ qchen\ My Documents\ EAST\ Workspaces\ docket\ 10783002.wsp